# SAFETY DATA SHEET



**KOOL KLENE** 

## Section 1. Chemical product and company identification

**Product name** : KOOL KLENE Recommended use and

restrictions

: Cleaning product

Use only for the purpose on the product label.

Product dilution information: Not applicable

Supplier's information : Ecolab Inc. Institutional Division

> 370 N. Wabasha Street St. Paul. MN 55102 1-800-352-5326

Code : 965806-03 Date of issue : 25 Jul 2013

EMERGENCY HEALTH INFORMATION: 1-800-328-0026

Outside United States and Canada CALL 1-651-222-5352 (in USA)

#### Section 2. Hazards identification

**Product AS SOLD** 

**GHS Classification** FLAMMABLE LIQUIDS - Category 3

SERIOUS EYE DAMAGE/ EYE IRRITATION -

Category 2B

**GHS** label elements

Signal word : Warning

**Symbol** 

**Hazard statements** : Flammable liquid and vapor.

Causes eye irritation.

**Precautionary statements** 

Prevention : Keep away from heat, sparks, open flames and

> hot surfaces. - No smoking. Keep container tightly closed. Wash hands thoroughly after

handling.

: IF ON SKIN (or hair): Take off immediately all Response

> contaminated clothing. Rinse skin with water or shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

attention.

: Store in a well-ventilated place. Keep cool. Storage

Disposal See section 13 for waste disposal information.

Other hazards : None known. **Product AT USE DILUTION** 

Product is sold ready to use.

## Section 3. Composition/information on ingredients

Substance/mixture : Mixture

**Product AS SOLD** 

**Hazardous ingredients** 

**Concentration Range (%) CAS** number

**Product AT USE DILUTION** 

Product is sold ready to use.

**GLYCERIN** 20 - 50 56-81-5 ISOPROPYL ALCOHOL 5 - 20 67-63-0 1 - 5 **ETHANOLAMINE** 141-43-5 poly(oxy-1,2-ethanediyl), .alpha.-undecyl-.omega.-hydroxy-1 - 5 34398-01-1

**Product AT USE DILUTION** 

**Hazardous ingredients** Concentration Range (%) CAS number

Product is sold ready to use.

#### Section 4. First aid measures

**Product AS SOLD** 

: Rinse cautiously with water for several minutes. Eye contact

Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention if

irritation persists.

: No known effect after skin contact. Rinse with Skin contact

water for a few minutes.

: No special measures required. Treat Inhalation

symptomatically.

: Get medical attention if symptoms occur. Ingestion

Protection of first-

aiders

: No action shall be taken involving any personal risk or without suitable training. It may be

dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The

exposed person may need to be kept under medical surveillance for 48 hours.

See toxicological information (section 11)

## Section 5. Fire-fighting measures

**Product AS SOLD** 

Suitable fire extinguishing media

: Use dry chemical, CO<sub>2</sub>, water spray (fog) or foam.

Specific hazards arising from the chemical

: Flammable liquid and vapor. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Runoff to sewer may create fire or explosion hazard.

**Hazardous thermal** decomposition products : Decomposition products may include the following materials: carbon dioxide

carbon monoxide nitrogen oxides

Specific fire-fighting methods

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Page: 2/7

#### Section 6. Accidental release measures

Personal precautions

**Product AS SOLD** : Eliminate all ignition sources. Use personal

protective equipment as required. Do not touch

or walk through spilled material.

Environmental precautions **Methods for** cleaning up

: Avoid contact of large amounts of spilled material and runoff with soil and surface waterways.

: If emergency personnel are not present, contain and collect small spillages with non-combustible absorbent material, e.g. sand, earth or other suitable material and place in a suitable container for disposal. Use a water rinse for final clean-up.

#### **Product AT USE DILUTION**

Product is sold ready to use.

# Section 7. Handling and storage

**Product AS SOLD** 

Handling : Avoid contact with eyes, skin and clothing. Keep

away from heat, sparks and flame. To avoid fire, eliminate ignition sources. Use only with adequate ventilation. Wash thoroughly after

handling.

**Storage** : Keep out of reach of children. Keep container

tightly closed. Keep container tightly closed and sealed until ready for use. Keep container in a cool, well-ventilated area. Avoid all possible sources of ignition (spark or flame). Store in a

segregated and approved area.

Store between the following temperatures: 0 and

35°C

#### **Product AT USE DILUTION**

Product is sold ready to use.

## Section 8. Exposure controls/personal protection

#### **Control parameters**

Ingredient name	Exposure limits
GLYCERIN	OSHA PEL (United States, 6/2010).  TWA: 5 mg/m³ 8 hours. Form: Respirable fraction  TWA: 15 mg/m³ 8 hours. Form: Total dust ACGIH TLV (United States, 3/2012).  TWA: 10 mg/m³ 8 hours.
ISOPROPYL ALCOHOL	ACGIH TLV (United States, 3/2012).  STEL: 400 ppm 15 minutes.  TWA: 200 ppm 8 hours.  OSHA PEL (United States, 6/2010).  TWA: 980 mg/m³ 8 hours.  TWA: 400 ppm 8 hours.
	NIOSH REL (United States, 6/2009).  TWA: 400 ppm 10 hours.  TWA: 980 mg/m³ 10 hours.  STEL: 500 ppm 15 minutes.  STEL: 1225 mg/m³ 15 minutes.
ETHANOLAMINE	ACGIH TLV (United States, 3/2012).  STEL: 15 mg/m³ 15 minutes.  STEL: 6 ppm 15 minutes.  TWA: 7.5 mg/m³ 8 hours.  TWA: 3 ppm 8 hours.

## Section 8. Exposure controls/personal protection

OSHA PEL (United States, 6/2010).

TWA: 6 mg/m<sup>3</sup> 8 hours. TWA: 3 ppm 8 hours.

NIOSH REL (United States, 6/2009).

TWA: 3 ppm 10 hours. TWA: 8 mg/m³ 10 hours. STEL: 6 ppm 15 minutes. STEL: 15 mg/m³ 15 minutes.

**Product AS SOLD** 

Appropriate engineering controls

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower

explosive limits.

**Personal protection** 

**Eye protection**: No protective equipment is needed under normal

use conditions.

**Hand protection** : No protective equipment is needed under normal

use conditions.

**Skin protection**: No protective equipment is needed under normal

use conditions.

Respiratory protection

: A respirator is not needed under normal and

intended conditions of product use.

**Hygiene measures**: Wash hands, forearms and face thoroughly after handling chemical products, before eating,

smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing

before reusing.

# Section 9. Physical and chemical properties

**Product AS SOLD** 

: Not available.

Physical state : Liquid.

Color : Green [Light]
Odor : Alcohol-like

**pH** : 10.6 to 11.8 (100%) **Flash point** : 41 °C (Closed cup)

Explosion limits Flammability (solid,

bility (solid, : Not available.

gas)

Melting point: Not available.Boiling point: Not available.Evaporation rate: Not available.

(butyl acetate = 1)

Vapor pressure : Not available.
Vapor density : Not available.

Relative density : 1.065 to 1.085 (Water = 1)

**Solubility** : Easily soluble in the following materials: cold

water and hot water.

**Product AT USE DILUTION** 

Product is sold ready to use.

Product is sold ready to use.

**Product AT USE DILUTION** 

### Section 9. Physical and chemical properties

Partition coefficient: : Not available.

n-octanol/water

**Auto-ignition** temperature

: Not available.

Decomposition temperature

: Not available.

Odor threshold : Not available. Viscosity : Not available.

# Section 10. Stability and reactivity

**Product AS SOLD** 

Stability : The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld,

braze, solder, drill, grind or expose containers to heat or sources of ignition.

Materials to avoid : Reactive or incompatible with the following materials: acids.

Hazardous decomposition

products

Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

## Section 11. Toxicological information

Route of exposure : Skin contact, Eye contact, Inhalation, Ingestion

**Product AS SOLD** 

**Symptoms** 

**Eve contact** : Adverse symptoms may include the following:

> irritation watering redness

Skin contact : No specific data. Inhalation : No specific data. Ingestion : No specific data.

Acute toxicity

Eye contact : Causes eye irritation.

Skin contact : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards. Ingestion : No known significant effects or critical hazards.

**Toxicity data** 

Product/ingredient name

LC50 Inhalation glycerin Rat >2.75 mg/l

**Dusts and mists** 

LD50 Dermal

LD50 Dermal Rabbit 23000 mg/kg 18300 mg/kg LD50 Oral Rat

LC50 Inhalation 30 mg/l Rat propan-2-ol

Vapor

LD50 Dermal 12870 mg/kg Rabbit LD50 Oral 4710 mg/kg Rat LD50 Dermal Rabbit 1025 mg/kg LD50 Oral Rat 1089 mg/kg

poly(oxy-1,2-ethanediyl), .alpha.-undecyl-.

omega.-hydroxy-

2-aminoethanol

LD50 Oral Rat 1700 mg/kg

Rabbit >2000 mg/kg

Page: 5/7

**Product AT USE DILUTION** 

Product is sold ready to use.

## Section 11. Toxicological information

**Chronic toxicity** 

Carcinogenicity : No known significant effects or critical hazards. : No known significant effects or critical hazards. Mutagenicity **Teratogenicity** : No known significant effects or critical hazards. **Developmental effects** : No known significant effects or critical hazards. **Fertility effects** : No known significant effects or critical hazards.

## Section 12. Ecological information

Product AS SOLD

**Ecotoxicity** : No known significant effects or critical hazards.

Aquatic and terrestrial toxicity

Product/ingredient name Result **Species Exposure** Fish glycerin Acute LC50 855 mg/l 96 hours propan-2-ol Acute LC50 9640 mg/l Fish 96 hours 2-aminoethanol Acute EC50 65 mg/l Daphnia 48 hours poly(oxy-1,2-ethanediyl), .alpha.-undecyl-. Acute LC50 3.2 mg/l Fish 96 hours omega.-hydroxy-

Other adverse effects : No known significant effects or critical hazards.

#### Section 13. Disposal considerations

**Product AS SOLD** 

Disposal methods : Avoid disposal. Attempt to use product

> completely in accordance with intended use. Disposal should be in accordance with applicable regional, national and local laws and regulations.

RCRA classification : Unused product is D001 (Ignitable)

#### **Product AT USE DILUTION**

Product is sold ready to use.

#### **Section 14. Transport information**

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

DOT

**DOT Classification** Not regulated.

**IMO/IMDG** 

IMO/IMDG Classification UN1993

IMO/IMDG Proper shipping name FLAMMABLE LIQUID, N.O.S. (isopropanol)

Class 3 Packing group Ш

For transport in bulk, see shipping documents for specific transportation information.

#### Product AT USE DILUTION

Not intended for transport.

## **Section 15. Regulatory information**

**Product AS SOLD** 

#### **U.S. Federal regulations**

TSCA 8(b) inventory : All components are listed or exempted.

SARA 302/304/311/312 extremely hazardous substances: No listed substance SARA 302/304 emergency planning and notification: No listed substance

**Product name CAS** number **Concentration SARA 313** 

Form R - Reporting

requirements


: No listed substance

California Prop. 65 : No listed substance

#### Section 16. Other information

**Product AS SOLD** 

**Hazardous Material** Information System (U.S.A.)



**National Fire Protection** Association (U.S.A.)



Date of issue : 25 Jul 2013

Prepared by : Regulatory Affairs

1-800-352-5326

#### Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.



Express Re-Order Now. Go to National EW.com where Unsung Heroes Make It Happen™