Butylated Hydroxytoluene



Section 1

Product Description

Product Name:

Recommended Use:
Synonyms:

Distributor:

Butylated Hydroxytoluene
Science education applications
BHT, Butylated Hydroxytoluene
Carolina Biological Supply Company
2700 York Road, Burlington, NC 27215

1-800-227-1150

Chemical Information: 800-227-1150 (8am-5pm (ET) M-F)

Chemtrec: 800-424-9300 (Transportation Spill Response 24 hours)

Section 2

Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

WARNING





Causes skin irritation. Causes serious eye irritation. Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

GHS Classification:

Hazardous to the aquatic environment - Acute Category 1, Skin Corrosion/Irritation Category 2, Serious Eye Damage/Eye Irritation Category 2A, Hazardous to the aquatic environment - Chronic Category 3, Acute Toxicity - Oral Category 5

Acute Toxicity Dermal Contains
Acute Toxicity Inhalation Gas

100 % of the mixture consists of ingredient(s) of unknown toxicity
100 % of the mixture consists of ingredient(s) of unknown toxicity

Contains

Acute Toxicity Inhalation Vapor 100 % of the mixture consists of ingredient(s) of unknown toxicity

Contains

Acute Toxicity Inhalation Dust/Mist 100 % of the mixture consists of ingredient(s) of unknown toxicity

Contains

Section 3

Composition / Information on Ingredients

 Chemical Name
 CAS #
 %

 2,6-di-tert-butyl-4-methylphenol (CAS# 128-37-0) 99%
 128-37-0
 100

Section 4

First Aid Measures

Emergency and First Aid Procedures

Inhalation: In case of accident by inhalation: remove casualty to fresh air and keep at rest.

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin Contact: IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash before reuse.

Ingestion: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Section 5

Firefighting Procedures

Extinguishing Media: Use dry chemical, CO2 or appropriate foam.

Fire Fighting Methods and Protection: Firefighters should wear full protective equipment and NIOSH approved self-contained

breathing apparatus.

Fire and/or Explosion Hazards: **Hazardous Combustion Products:** Fire or excessive heat may produce hazardous decomposition products. Carbon dioxide, Carbon monoxide

Section 6

Spill or Leak Procedures

Steps to Take in Case Material Is Released or Spilled:

Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill. Ventilate the contaminated area. Clean up spills immediately using Protective Equipment recommended in Section 8 at a minimum. Isolate area. Keep unnecessary personnel away. Avoid the generation of dusts during clean-

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal evaluation. Do not allow the spilled product to enter public drainage system or open waterways. Gather and store in a sealed container pending a waste disposal evaluation. Collect spillage.

Section 7

Handling and Storage

Handling: Wash thoroughly after handling. Avoid release to the environment. Wear protective gloves/protective

clothing/eye protection/face protection. Keep away from sources of ignition - No smoking. Avoid Dusting. May

N/A

become explosive when dispersed in air.

Storage: Keep container tightly closed in a cool, well-ventilated place.

Suitable for any general chemical storage.

Keep locked up and out of the reach of children.

Storage Code: Green - general chemical storage

Section 8

Protection Information

ACGIH OSHA PEL (TWA) (STEL)

N/A

(TWA) **Chemical Name** 2,6-di-tert-butyl-4-methylphenol (CAS# 2 mg/m3 TWA 128-37-0) 99% (inhalable fraction

and vapor)

Control Parameters

Engineering Measures: Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure. Local exhaust ventilation may be

necessary to control any air contaminants to within the TLV during the use of this product

Personal Protective Equipment (PPE):

Respiratory Protection:

Lab coat, apron, eye wash, safety shower.

Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a

respirator if general room ventilation is not available or sufficient to eliminate symptoms. Wear a NIOSH approved respirator if any exposure is possible.

NIOSH approved air purifying respirator with dust/mist filter. Respirator Type(s):

Eye Protection: Wear chemical splash goggles when handling this product. Have an eye wash station

Skin Protection: Avoid skin contact by wearing chemically resistant gloves, an apron and other protective

> equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Where use can result in skin contact, practice good personal hygiene. Inspect gloves for chemical break-through and replace at regular

intervals. Clean protective equipment regularly.

Gloves: Nitrile

Section 9

Physical Data

Formula: C15H24O

Molecular Weight: 220.35 g/mol

Vapor Pressure: 0.013 hPa at 20 °C Evaporation Rate (BuAc=1): N/A

(STEL)

N/A

Appearance: Colorless to pale yellow Solid

Odor: Mild Phenolic

Odor Threshold: No data available

pH: No data available Melting Point: 158 C Boiling Point: 265 C

Flash Point: 127 C

Section 10

Flammable Limits in Air: N/A N/A

Vapor Density (Air=1): 7.6 (air = 1) Specific Gravity: 1.048 at 20 °C Solubility in Water: Practically Insoluble

Log Pow (calculated): 4.17 Autoignition Temperature: 470 C

Decomposition Temperature: No data available

Viscosity: No data available Percent Volatile by Volume: N/A

Reactivity Data

Reactivity: No data available

Chemical Stability: Stable under normal conditions.

Conditions to Avoid: None known.

Incompatible Materials: acid chlorides, , acid anhydrides, , Strong oxidizing agents, Brass, Copper, Caustics

(bases)

Hazardous Polymerization: Will not occur

Section 11 Toxicity Data

Routes of Entry
Symptoms (Acute):
Delayed Effects:

Eyes and skin
None Known
No data available

Acute Toxicity:

Chemical NameCAS NumberOral LD50Dermal LD50Inhalation LC502,6-di-tert-butyl-4-methylphenol (CAS# 128-128-37-0Oral LD50 RabbitNot determinedNot determined

37-0) 99% 2100 mg/kg

Carcinogenicity:

Chemical NameCAS NumberIARCNTPOSHANo data available128-37-0Not listedNot listedNot listed

Chronic Effects:

Mutagenicity: No evidence of a mutagenic effect.

Teratogenicity: No evidence of a teratogenic effect (birth defect).

Sensitization: No evidence of a sensitization effect.

Reproductive: No evidence of negative reproductive effects.

Target Organ Effects:

Acute: See Section 2

Chronic: Not listed as a carcinogen by IARC, NTP or OSHA.

Section 12 Ecological Data

Overview: Moderate ecological hazard. This product may be dangerous to plants and/or wildlife. Highly/very

toxic to fish and other water organisms.

Mobility:No dataPersistence:No dataBioaccumulation:No dataDegradability:No dataOther Adverse Effects:No data

Chemical Name CAS Number Eco Toxicity

2,6-di-tert-butyl-4-methylphenol (CAS# 128- 128-37-0 48 HR LC50 ORYZIAS LATIPES 5 MG/L

37-0) 99% 72 HR EC50 PSEUDOKIRCHNERIELLA SUBCAPITATA 6 MG/L 72 HR EC50 DESMODESMUS SUBSPICATUS > 0.42 MG/L

Section 13 Disposal Information

Disposal Methods: Dispose in accordance with all applicable Federal, State and Local regulations. Always

contact a permitted waste disposer (TSD) to assure compliance.

Waste Disposal Code(s): Not Determined

Section 14 Transport Information

Ground - DOT Proper Shipping Name:

N/A

Air - IATA Proper Shipping Name:

UN number: 3077 Class: 9 Packing group: III Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (2,6-di-tert-Butyl-p-cresol)

Section 15	Regulatory Information					
TSCA Status:	All components in this product are on the TSCA Inventory.					
Chemical Name	CAS Number	§ 313 Name	§ 304 RQ	CERCLA RQ	§ 302 TPQ	CAA 112(2) TQ
No data available	128-37-0	No	No	No	No	No

Section 16 Additional Information

Revised: 09/09/2015 Replaces: 09/03/2014 Printed: 10-29-2015

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

Glossary			
ACGIH	American Conference of Governmental	NTP	National Toxicology Program
	Industrial Hygienists	OSHA	Occupational Safety and Health Administration
CAS	Chemical Abstract Service Number	PEL	Permissible Exposure Limit
CERCLA	Comprehensive Environmental Response,	ppm	Parts per million
	Compensation, and Liability Act	RCRA	Resource Conservation and Recovery Act
DOT	U.S. Department of Transportation	SARA	Superfund Amendments and Reauthorization Act
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
N/A	Not Available	TSCA	Toxic Substances Control Act
		IDLH	Immediately dangerous to life and health